



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/787,365	02/26/2004	Andrew R. Ferlitsch	SLA1455	7953
50735	7590	11/25/2008		
MADSON & AUSTIN 15 WEST SOUTH TEMPLE SUITE 900 SALT LAKE CITY, UT 84101				
EXAMINER				
RAMOS, JAVIER J				
ART UNIT		PAPER NUMBER		
2625				
MAIL DATE		DELIVERY MODE		
11/25/2008		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### Office Action Summary

**Application No.**

10/787,365

**Applicant(s)**

FERLITSCH, ANDREW R.

**Examiner**

JAVIER J. RAMOS

**Art Unit**

2625

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 16 September 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-27 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-27 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SE/US)  
Paper No(s)/Mail Date \_\_\_\_\_
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

***Response to Amendment***

1. Claims 1-27 are pending in this application.
2. Claims 1, 11 and 17 have been amended [9/16/08].

***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. **Claims 1-3, 5, 6, 8-12, 14-20, 22, 23 and 25-27 are rejected under 35**

**U.S.C. 102(b) as being anticipated by Mukai (US 6,466,329 B1).**

5. In regards to claims 1 and 17, Mukai teaches a method (**Figs. 2, 3 and 5**) and a computer-readable medium for storing program data (**Fig. 1**), wherein the program data comprises executable instructions for implementing a method in a computing device (**Figs. 2, 3 and 5, the method is enacted by various hardware modules that are governed by executable code**) for providing page description language ("PDL") encapsulated image data from an imaging device (**Fig. 1, Objects 1, 22 and 85; Col. 8, Lines 14-37; Col. 9, Lines 8-20**) that includes a scanner (**Fig. 1, Object 400, digital scanner; Col. 8, Lines 38-46**), the method comprising: scanning an image using the scanner to produce image data (**Fig. 1, Object 400, digital scanner; Col. 8, Lines 38-**

**46); obtaining document formatting inputs from a user interface (Fig. 1, Object 500, operator control panel; Col. 9, Lines 31-44, formatting inputs related to the document inputted by a user utilizing the control panel); encapsulating the image data in a page description language using the document formatting inputs for document formatting (Col. 8, Lines 14-37; Col. 9, Lines 31-44; formatting inputs are placed onto the scanned document which is then converted into PDL format therefore retaining the attributes of the formatting inputs), wherein the encapsulating occurs at the imaging device (Fig. 1, Objects 1, 22 and 85; Col. 8, Lines 14-37, the printer controller controls the transformation of the image data into PDL data; Col. 9, Lines 8-20); and transmitting the page description language to a computing device from the imaging device (Fig. 1, Object 600, network interface; Col. 7, Lines 19-22, the PDL based image data is transferred to a database server; Col. 9, Lines 31-35).**

6. In regards to claims 2 and 19, Mukai teaches the document formatting inputs are obtained from a control panel on the imaging device **(Fig. 1, Object 500, operator control panel; Col. 9, Lines 36-44).**

7. In regards to claims 3 and 20, Mukai teaches the document formatting inputs are obtained from a local user interface **(Fig. 1, Object 500, operator control panel; Col. 9, Lines 36-44).**

8. In regards to claims 5, 12 and 22, Mukai teaches the image data is encapsulated in the page description language such that the image is framed into a document (**Fig. 1, Object 500, operator control panel; Col. 9, Lines 36-44; Col. 9, Lines 31-35, the formatted image is placed into PDL format**).

9. In regards to claims 6 and 23, Mukai teaches the imaging device is a multi-function peripheral (**Fig. 1, Object 1, digital multi-function peripheral**).

10. In regards to claims 8, 14 and 25, Mukai teaches the imaging device comprises a multi-function peripheral (**Fig. 1, Object 1, digital multi-function peripheral**), wherein the document formatting inputs are obtained from a control panel on the multi-function peripheral (**Fig. 1, Object 500, operator control panel; Col. 9, Lines 36-44**) and wherein the control panel is also used for a user input for a copy function of the multi-function peripheral (**Col. 9, Lines 36-44**).

11. In regards to claims 9, 15 and 26, Mukai teaches the page description language is a language selected from the group consisting of a portable document format (PDF), postscript (PS), printer control language (PCL), HP GL/2, IBM IPDS, IBM SCS, Epson EscP and DDIF (**Col. 2, Lines 33-42**).

12. In regards to claims 10, 16 and 27, Mukai teaches the page description language comprises document wide properties, page delimitation properties, page properties and

one or more drawing elements (**Col. 2, Lines 33-43; Col. 9, Lines 31-44; the formatting inputs are placed onto the scanned document which is then converted into PDL format therefore retaining the attributes of the formatting inputs).**

13. In regards to claim 11, Mukai teaches an imaging device that comprises a scanner (**Fig. 1, Object 400, digital scanner; Col. 8, Lines 38-46**), wherein the imaging device provides page description language ("PDL") encapsulated image data (**Fig. 1, Objects 1, 22 and 85; Col. 8, Lines 14-37; Col. 9, Lines 8-20**), the imaging device comprising: a processor for control of the imaging device (**Fig. 1, Objects 200, 300, 700 and 800**); memory in electronic communication with the processor (**Fig. 1, Object 90**); a scanner in electronic communication with the processor (**Fig. 1, Object 400, digital scanner; Col. 8, Lines 38-46**); a control panel for operation of the imaging device by a user, wherein the control panel is in electronic communication with the processor for receiving user inputs (**Fig. 1, Object 500, operator control panel; Col. 9, Lines 36-44**); and executable instructions executable by the processor (**Figs. 2, 3 and 5, the method is enacted by various hardware modules that are governed by executable code**), wherein the instructions are executable to: scan an image using the scanner to produce image data (**Fig. 1, Object 400, digital scanner; Col. 8, Lines 38-46**); obtain document formatting inputs from the control panel (**Fig. 1, Object 500, operator control panel; Col. 9, Lines 31-44, formatting inputs related to the document inputted by a user utilizing the control panel**); and encapsulate the image data in a page description language using the document formatting inputs for document

formatting (**Col. 8, Lines 14-37; Col. 9, Lines 31-44; formatting inputs are placed onto the scanned document which is then converted into PDL format therefore retaining the attributes of the formatting inputs**), wherein the encapsulating occurs at the imaging device (**Fig. 1, Objects 1, 22 and 85; Col. 8, Lines 14-37, the printer controller controls the transformation of the image data into PDL data; Col. 9, Lines 8-20**).

14. In regards to claim 18, Mukai teaches the image data is obtained from a scanner of the imaging device (**Fig. 1, Object 400, digital scanner; Col. 8, Lines 38-46**).

***Claim Rejections - 35 USC § 103***

15. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

16. **Claims 4 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mukai (US 6,466,329 B1), as applied to claims 1 and 17, in view of Lavender et al. (US 2002/0114021 A1).**

17. In regards to claims 4 and 21, Mukai teaches the document formatting inputs are obtained from a user interface (**Fig. 1, Object 500, operator control panel; Col. 9, Lines 36-44**).

It is noted however, that Mukai does not specifically teach the document formatting inputs are obtained from a remote user interface.

In analogous art, Lavender et al. (hereafter Lavender) teaches the document formatting inputs are obtained from a remote user interface (**Fig. 1, Object 22; [0018], scanner computer is a remote user interface that sends parameters to the scanner; [0014]**).

It would have been obvious to one of ordinary skill in the art, at the time of the invention, to modify Mukai by receiving document formatting inputs via a remote user interface, as taught by Lavender, in order to allow a user to control the input parameters of the imaging device from a remote location (**Lavender: [0018]**), therefore making the formatting input operation of the imaging device independent of geographic constraints.

**18. Claims 7, 13 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mukai (US 6,466,329 B1), as applied to claims 1, 11 and 17, in view of Bonk et al. (US 5,493,634).**

19. In regards to claims 7, 13 and 24, Mukai teaches the document formatting inputs comprise a page size input, a scale input, a placement input, a pagination input, a page delimitation input, an orientation input and a margins input (**Col. 9, Lines 36-44**).

It is noted however, that Mukai does not specifically teach a number of images per page input, a page order input, a document style input, a post collation operations input.



In analogous art, Bonk et al. (hereafter Bonk) teaches a number of images per page input, a page order input, a document style input, a post collation operations input **(Figs. 7 and 13)**.

It would have been obvious to one of ordinary skill in the art, at the time of the invention, to modify Mukai by adding additional document formatting inputs, as taught by Bonk, in order to increase the user's control of the final output of the scanned document within the apparatus. Further, both Mukai and Bonk are in the same field of endeavor of printing machines that use PDL based information to print **(Mukai: Fig. 1; Bonk: Figs. 1-3B)**.

#### ***Response to Arguments***

20. Applicant's arguments filed in regards to claims 1-27 have been fully considered but they are not persuasive.

21. In regards to claim 1, the Applicant argues on page 8, lines 18-21 of the Applicant's remarks that Mukai does not teach the amended claim language of "obtaining document formatting inputs from a user interface." It is noted by the Examiner that Mukai teaches obtaining document formatting inputs from a user interface (Fig. 1, Object 500, operator control panel; Col. 9, Lines 31-44, formatting inputs related to the document inputted by a user utilizing the control panel), therefore Mukai does teach the amended limitation.

22. In regards to claim 1, the Applicant argues on page 9, lines 25-27 of the Applicant's remarks that Mukai does not teach that "the 'number of copies, the size of copies, the degree of enlargement/reduction, duplex printing' applies to document formatting inputs received from a user interface for encapsulating image data in a page description language." It is noted by the Examiner that the Applicant has seemed to only take a single line out of the cited passage (Mukai: Col. 9, Lines 31-44) in the previous office action to read on this claim limitation. However, the Examiner believes that Mukai does indeed teach the limitation of encapsulating the image data in a page description language using the document formatting inputs for document formatting (Col. 8, Lines 14-37; Col. 9, Lines 31-44; formatting inputs are placed onto the scanned document which is then converted into PDL format therefore retaining the attributes of the formatting inputs), relying on not only the cited passages, but the entire specification of the application.

23. Analogous remarks as applied to the arguments of the art rejection of claim 1 apply to claims 2-27.

### ***Conclusion***

24. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JAVIER J. RAMOS whose telephone number is (571) 270-3947. The examiner can normally be reached on Monday to Thursday - 9 am to 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark K. Zimmerman can be reached on (571) 272-7653. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. J. R./  
Examiner, Art Unit 2625

/Mark K Zimmerman/  
Supervisory Patent Examiner, Art Unit 2625